

LSB1002M



Approval to Operate Plant & Equipment

Subcontractors

Section A – Operator Details

Project:				
Operator's Name:				
Employer: Subcontractor <input type="checkbox"/> Plant Hirer <input type="checkbox"/>				
Name of Subcontractor or Plant Hirer:				
Duration of Employment with this Employer: Years: <input type="text"/> Months: <input type="text"/>				
Plant item being operated:				
Operator's experience on the Plant Item: Years: <input type="text"/> Months: <input type="text"/>				
Reference Checks				
Please provide a minimum of 3 reference checks for the Operator. References must be Supervisor level or higher. (Where 3 references cannot be obtained, this will be at the discretion of the designated LSBJV Project signoff to approve)				
Company	Name of Referee	Position	Phone	Location of Work (i.e.: Project / Town)
Has the Operator been involved in an operational or reportable work incident?				Yes <input type="checkbox"/> No <input type="checkbox"/>
If YES to the above, please provide details for this incident/s				
Medical History				
Does the operator have any previous medical history which may hinder the safe operation of this item of Plant?				Yes <input type="checkbox"/> No <input type="checkbox"/>
If YES, please provide details:				
Subcontractor Declaration				
I declare that (Operator's Name) _____ has been assessed as demonstrating competency for the relevant task (see criteria below of what the Operator will be assessed against) or duties performed on behalf of my company and we have the relevant supporting documentation.				
References and contact details in this document have been checked and have been made aware that a LSBJV Project representative will be in contact to perform reference check.				
Subcontractor Name:		Position:		
Signature:		Date:		

LSB1002M – Approval to Operate Plant and Equipment

Section C – Sign Off

LSBJV Project Representative to Complete

Blaxtair Training & Demonstration	Has the Operator been suitably trained in the Blaxtair System?
As part of this Approval to Operate process, the Operator needs to be suitably trained in the Blaxtair system, see training demonstration notes at the back of this page (Only applicable if Blaxtair system is installed in this piece of plant).	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>

LSBJV Project Review of Operator Suitability			
Reference Checks Note: Should be completed by an LSBJV Project Director's delegate (as per Limits of Authority)			
Operator's references have been checked and are sufficient?			Yes <input type="checkbox"/> No <input type="checkbox"/>
I certify that the Operator has: <ul style="list-style-type: none"> <input type="checkbox"/> Demonstrated safe and correct operation of plant / equipment aligning to LSBJV's Project procedures and GMRs <input type="checkbox"/> Demonstrated unsafe and/or incorrect operation of plant / equipment And is ... <ul style="list-style-type: none"> <input type="checkbox"/> Authorised to operate the plant / equipment item on this project site. <input type="checkbox"/> Unauthorised to operate the plant / equipment item on this project site. 			
Name:		Position:	
Signature:		Date:	

EXAMPLE DOCUMENT ONLY

LSB1002M – Approval to Operate Plant and Equipment

Operator Responsibilities & Checks

Responsibilities & Warnings

- Detection ranges are 6m for a pedestrian and 1.5m for an object.
- If the screen turns red and the alarm sounds then you must engage the brakes to **Stop immediately**.
- Vehicle control and safety of operations remains the responsibility of the Operator.
- Blaxtair does not detect pedestrians in unusual positions such as lying on the ground or squatting, and it is not designed to detect small objects or pedestrians when the vehicle is travelling at high speeds.
- As with any detection system, an object or pedestrian may not be detected.
- If the sensor head has been moved from its initial position or suffered an impact, report it to your supervisor.

Check List BLAXTAIR



1 – Check that the lenses are clear :



IMPORTANT DO NOT use rags or gloves to clean the lenses to avoid scratches.

2 – Check that screen displays the video:

After starting the vehicle, Blaxtair starts. Video must appear after 40 seconds.



3 – Check that the detection is working: Ask for a person to walk in the sight of the camera.

IMPORTANT For wheel loaders and dumpers: Alarm is raised only when in reverse gear.

