Iona Gas Plant – Dangerous Goods & Hazardous Substances Basic CBTA - Questions



# СВТА

Dangerous goods and hazardous substances – Basic

SP/TRN/TM73

Candidate's Name: \_\_\_\_\_

Candidates Signature: \_\_\_\_\_

Assessor's Name: \_\_\_\_\_

Assessor's Signature: \_\_\_\_\_

Date Completed: 
CBTA 
Reassessment: \_\_\_/\_\_/\_\_\_

Iona Gas Plant – Dangerous Goods & Hazardous Substances Basic CBTA - Questions

For first time candidates, the entire CBTA is to be completed. For the purposes of re-assessment only the demonstrative section requires completion.

#### Written

Question	Answer	Assessor check
Which Site Safety Rule applies to Dangerous Goods		
and Hazardous Substances?		
In your own words what is the difference between a		
Dangerous Good and a Hazardous Substance.		
What are the Dangerous Goods classes for Corrosive		
Substances and Flammable liquids?		
What is an SDS and what are they used for?		
When would we need to label a spray bottle		
containing a cleaning fluid?		

### Oral

Question	Assessor check	
Explain the process for bringing a new chemicals to		
site.		
Who is permitted to transport dangerous goods?		
If you or your work party has been using Hazardous		
Substances or Dangerous Goods, name two		
requirements that must be undertaken at the		
completion of the job and prior to leaving site.		

#### Demonstrative

Question	Assessor check
Search for Iona condensate and identify the components, exposure limits and any specialist PPE	
required.	
Locate the SDS for Scortron. Identify the key environmental risks and the appropriate spill response.	
Locate the SDS in Chemalert for Spotleak 1005 and identify the spill response and recommended fire	
fighting requirements.	

The candidate is assessed as being:

Competent

□ Not yet competent

Areas requiring improvement:

## For first time candidates only:

Department Manager's name: \_\_\_\_\_

Department Manager's signature: \_\_\_\_\_\_

Date: \_\_\_\_/\_\_\_/\_\_\_\_