



**CBTA**

**Operating Mobile Equipment Onsite**

**SP/TRN/TM100**

**Candidate's Name:** \_\_\_\_\_

**Candidates Signature:** \_\_\_\_\_

**Assessor's Name:** \_\_\_\_\_

**Assessor's Signature:** \_\_\_\_\_

**Date Completed:**  CBTA  Reassessment: \_\_\_\_/\_\_\_\_/\_\_\_\_

For first time candidates, the entire CBTA is to be completed. For the purposes of re-assessment only the demonstrative section requires completion.

**Written**

Question	Answer	Assessor check
List some examples of mobile equipment that could be used at the Iona gas plant		
What are some of the risks associated with using mobile equipment at the Iona gas plant		
Which areas of the Iona gas plant require gas detection before any mobile equipment enters		
Which permit is required when operating mobile equipment within the hazardous area zones onsite		
Who’s responsibility is it to ensure that the operator is licensed to operate mobile equipment onsite and that the plant is maintained and in general good condition		

**Oral**

Question	Answer	Assessor check
What must be undertaken before any lift with mobile equipment can be performed at the Iona gas plant		
What action must be taken if a piece of mobile equipment is found to be faulty or fails pre-start inspection?		
When is a spotter required in relation to mobile plant		
Why is it important that an area where mobile equipment is being operating be barricaded and signed		

**Demonstrative**

Question	Assessor check
Demonstrate the pre-start checks that would be performed prior to using the Telehandler (or provide evidence of)	
Conduct a permit audit on a permit that requires the use of mobile equipment (or provide evidence of)	

The candidate is assessed as being:

Competent

Not yet competent

Areas requiring improvement:

**For first time candidates only:**

Department Manager's name: \_\_\_\_\_

Department Manager's signature: \_\_\_\_\_

Date: \_\_\_\_/\_\_\_\_/\_\_\_\_\_