LS COURSE	RTAY Compressed Gas Safety (Presentation &	COURSE	D30413923
NAME:	Theory Assessment	CODE:	Q 30413921

					EMF	PLO'	ΥEΙ	ΕŢ	0	CON	/IPL	ETI	E								
Full Nam	e:			T															T		
SAP II	D :																				
Contractor:	Yes	N	0	С	omp	any N	Van	ne:											1	1	
Employee Signature:													_ Da	ate:			/		/		
Full Name	e :	1	ΓRA	AIN	NER	/ AS	SSE	ESS	SOF	R TO	C	OM	PLE	TE							
Positio	n:																				
Select Resu	lt: [] YE	S 1	100)% C	orre	ct] Fu	rthe	Tra	inin	g Re	qui	red		
List Furth Training Require																					
Trainer/Assessor	·												_ Da	ate:			/		/		
(FORWARD A	LL PA	APEI	RW	7 0 1	RK '	го т	ΉE	E L .	EAI	RNI	NG	AN.	D D	DEV I	ELO)PM	EN'	T T	E A	M)	

LEARNING & DEVELOPMENT TO COMPLETE (LMS Administrator to enter in the LMS)

Date entered in LMS:

LMS Administrator Signature:

Name:

Printed: 8/22/2023

/

QUESTION 1

	nember of the public is injured on a worksite under our control, what could this result in? the 3 correct answers)				
	Damage to the company's reputation.				
	An insurance claim being made against the company.				
	The injured individual's reputation being damaged.				
	A company individual being charged under common law.				
	Nothing				
QUEST	TION 2				
What	t colour is an Oxygen Cylinder?				
	White				
	Blue				
	Aluminium				
	Black				
QUEST	QUESTION 3				
Selec	ct the common types of compressed gas used at RT Yarwun?				
	Oxygen				
	LPG				
	Carbon Dioxide				
	Acetylene				
	Argon				
	Helium				
QUESTION 4					
Whic	th of the following gases in small amounts are Colourless and Odourless?				
	Chlorine				
	Carbon Dioxide				
	Oxygen				

	LPG
QUES	TION 5
Wha	t colour Hazard Class Diamond indicates that a gas is Flammable?
	White
	Green
	Red
	Yellow
OHES	TION 6
Sel	ect two Oxidising Gases?
	Oxygen
	Helium
	Nitrous Oxide
Ш	LPG
QUES	TION 7
Wh	at is the correct way for gas cylinders to be transported?
	Rolled along the ground
	Lifted with chains by a crane
	In an upright position
	On a purpose built trolley
OHES	TION 9
	TION 8
	e event of a flashback, flashback arrestors shall be removed from service, inspected by a petent person and replaced if required.
	True
	False

QUESTION 9

What must be displayed at the entrance to the storage area for compressed gasses?

Page 3 of 4

	Hazchem labels
	No Smoking Signs
	SDS
	No ignition sources
QUES	TION 10
Dis _l skip	posal of cylinders can be undertaken on site provided they are placed in the appropriate
	True
	False
Any	rbody who has undertaken a "Safe Care of Compressed Gas Cylinders" package can use cylinders and operate the equipment?
	True
	False
QUES	TION 12
Whi	ch of the following is a possible cause of a flashback?
	Low gas pressure
	Incorrect pressure settings
	Blockages in cutting tip, hoses, blowpipe
	Faulty equipment